

□ NEMA & IEC UL인증(프리미엄 효율)

Frame No.	모델(Model)	마력(Hp)	극수(P)	형식	전압(V)	주파수(Hz)	절연 계급 (Ins Class)	Ambient Temp.
NEMA 143T IEC 90S	P01HX3XXXX-UXXXXX	1	2	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 145T IEC 90L	P02HX3XXXX-UXXXXX	2	2	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 182T IEC 112S	P03HX3XXXX-UXXXXX	3	2	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 184T IEC 112M	P05HX3XXXX-UXXXXX	5	2	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 213T IEC 132S	P08HX3XXXX-UXXXXX	7.5	2	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 215T IEC 132M	P10HX3XXXX-UXXXXX	10	2	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 254T IEC 160M	P15HX3XXXX-UXXXXX	15	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 256T IEC 160L	P20HX3XXXX-UXXXXX	20	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 284TS IEC 180M	P25HX3XXXX-UXXXXX	25	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40

Frame No.	모델(Model)	마력(Hp)	극수(P)	형식	전압(V)	주파수(Hz)	절연 계급 (Ins Class)	Ambient Temp.
NEMA 286TS IEC 180L	P30HX3XXXX-UXXLXXXX	30	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 324TS IEC 200L	P40HX3XXXX-UXXXXXX	40	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 326TS IEC 200L	P50HX3XXXX-UXXXXXX	50	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 364TS IEC 225M	P60HX3XXXX-UXXXXXX	60	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 365TS IEC 225M	P75HX3XXXX-UXXXXXX	75	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 405TS IEC 250M	P100HX3XXXX-UXXXXXX	100	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 444TS IEC 280S	P125HX3XXXX-UXXXXXX	125	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 445TS IEC 280M	P150HX3XXXX-UXXXXXX	150	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 447TS IEC 280L	P200HX3XXXX-UXXXXXX	200	2	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 143T IEC 90S	P01HX1XXXX-UXXXXXX	1	4	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40

Frame No.	모델(Model)	마력(Hp)	극수(P)	형식	전압(V)	주파수(Hz)	절연 계급 (Ins Class)	Ambient Temp.
NEMA 145T IEC 90L	P02HX1XXXX-UXXXXX	2	4	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 182T IEC 112S	P03HX1XXXX-UXXXXX	3	4	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 184T IEC 112M	P05HX1XXXX-UXXXXX	5	4	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 213T IEC 132S	P08HX1XXXX-UXXXXX	7.5	4	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 215T IEC 132M	P10HX1XXXX-UXXXXX	10	4	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 254T IEC 160M	P15HX1XXXX-UXXXXX	15	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 256T IEC 160L	P20HX1XXXX-UXXXXX	20	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 284T IEC 180M	P25HX1XXXX-UXXXXX	25	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 286T IEC 180L	P30HX1XXXX-UXXXXX	30	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 324T IEC 200L	P40HX1XXXX-UXXXXX	40	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40

Frame No.	모델(Model)	마력(Hp)	극수(P)	형식	전압(V)	주파수(Hz)	절연 계급 (Ins Class)	Ambient Temp.
NEMA 326T IEC 200L	P50HX1XXXX-UXXXXX	50	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 364T IEC 225M	P60HX1XXXX-UXXXXX	60	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 365T IEC 225M	P75HX1XXXX-UXXXXX	75	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 405T IEC 250M	P100HX1XXX-UXXXXX	100	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 444T IEC 280S	P125HX1XXX-UXXXXX	125	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 445T IEC 280M	P150HX1XXX-UXXXXX	150	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40

Frame No.	모델(Model)	마력(Hp)	극수(P)	형식	전압(V)	주파수(Hz)	절연 계급 (Ins Class)	Ambient Temp.
NEMA 447T IEC 280L	P200HX1XXX-UXXXXX	200	4	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 145T IEC 90L	P01HX8XXXX-UXXXXX	1	6	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 184T IEC 112M	P02HX8XXXX-UXXXXX	2	6	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 213T IEC 132S	P03HX8XXXX-UXXXXX	3	6	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 215T IEC 132M	P05HX8XXXX-UXXXXX	5	6	TEFC	208~230/460	60	F	40
					220/380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 254T IEC 160M	P08HX8XXXX-UXXXXX	7.5	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 256T IEC 160L	P10HX8XXXX-UXXXXX	10	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 284T IEC 180M	P15HX8XXXX-UXXXXX	15	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 286T IEC 180L	P20HX8XXXX-UXXXXX	20	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 324T IEC 200L	P25HX8XXXX-UXXXXX	25	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40

Frame No.	모델(Model)	마력(Hp)	극수(P)	형식	전압(V)	주파수(Hz)	절연 계급 (Ins Class)	Ambient Temp.
NEMA 326T IEC 200L	P30HX8XXXX-UXXXXX	30	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 364T IEC 225M	P40HX8XXXX-UXXXXX	40	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 365T IEC 225M	P50HX8XXXX-UXXXXX	50	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 404T IEC 250M	P60HX8XXXX-UXXXXX	60	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 405T IEC 250M	P75HX8XXXX-UXXXXX	75	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 444T IEC 280S	P100HX8XXX-UXXXXX	100	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 445T IEC 280M	P125HX8XXX-UXXXXX	125	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40
NEMA 447T IEC 280L	P150HA8XXX-ULXXXX	150	6	TEFC	208~230/460	60	F	40
					380	60	F	40
					440	60	F	40
					460	60	F	40
					480	60	F	40
					575	60	F	40